



Azure Databricks

A Technical Overview


Fahd Rafi
Cloud Solution Architect, Data & AI
Microsoft Azure



TOC

- Spark Overview
- Azure Databricks
 - Overview of the offering
 - Core Concepts
- Secure Collaboration
 - Azure Active Directory Integration
 - Fine Grained Permission and Access Control
- Core Artifacts
 - Clusters, Jobs, Notebooks, Libraries, Workspaces, Folders
- Spark Application Workloads
 - Data Analytics, Stream Analytics, Machine Learning, Graph Processing
- Performance
- CLI and Rest APIs

SPARK: A BRIEF HISTORY




A P A C H E S P A R K

An unified, open source, parallel, data processing framework for Big Data Analytics

Spark Unifies:

- Batch Processing
- Interactive SQL
- Real-time processing
- Machine Learning
- Deep Learning
- Graph Processing



SPARK - BENEFITS

Performance

Using in-memory computing, Spark is considerably faster than Hadoop (100x in some tests).
Can be used for batch and real-time data processing.

Developer Productivity

Easy-to-use APIs for processing large datasets.
Includes 100+ operators for transforming.

Unified Engine


Integrated framework includes higher-level libraries for interactive SQL queries, Stream Analytics, ML and graph processing.
A single application can combine all types of processing

Ecosystem

Spark has built-in support for many data sources, rich ecosystem of ISV applications and a large dev community.
Available on multiple public clouds (AWS, Google and Azure) and multiple on-premises distributors


ADVANTAGES OF A UNIFIED PLATFORM

- Improves developer productivity—a single consistent set of APIs
- All different systems in Spark share the same abstraction – RDDs (Resilient Distributed Datasets)
- Developers can mix and match different kind of processing in the same application. This is a common requirement for many big data pipelines.
- Performance improves because unnecessary movement of data across engines is eliminated. In many pipelines, data exchange between engines is the dominant cost



DATABRICKS - COMPANY OVERVIEW

- Founded in late 2013
- By the creators of Apache Spark, original team from UC Berkeley AMPLab
- Largest code contributor code to Apache Spark
- Level 2/3 support partnership with
 - Hortonworks
 - MapR
 - DataStax
- Provides [certifications](#) such as Databricks Certified Application, Databricks Certified Distribution and Databricks Certified Developer
- Main Product: The [Unified Analytics Platform](#)
- In Oct 2017, introduced [Databricks Delta](#) (currently in private preview).



Azure Databricks


Databricks Spark as a managed service on Azure

A Z U R E D A T A B R I C K S

- Azure Databricks is a **first party** service on Azure.
 - Unlike with other clouds, it is not an Azure Marketplace or a 3rd party hosted service.
- Azure Databricks is integrated seamlessly with Azure services:
 - **Azure Portal**: Service can be launched directly from Azure Portal
 - **Azure Storage Services**: Directly access data in Azure Blob Storage and Azure Data Lake Store
 - **Azure Active Directory**: For user authentication, eliminating the need to maintain two separate sets of users in Databricks and Azure.
 - **Azure SQL DW and Azure Cosmos DB**: Enables you to combine structured and unstructured data for analytics
 - **Apache Kafka for HDInsight**: Enables you to use Kafka as a streaming data source or sink
 - **Azure Billing**: You get a single bill from Azure
 - **Azure Power BI**: For rich data visualization
- Eliminates need to create a separate account with Databricks.



AZURE DATABRICKS




Enhance Productivity

Build on secure & trusted cloud

Scale without limits

KNOWING THE VARIOUS BIG DATA SOLUTIONS



LOOKING ACROSS THE OFFERINGS

Azure HDInsight

What It Is

- Hortonworks distribution as a first party service on Azure
- Big Data engines support – Hadoop Projects, Hive on Tez, Hive LLAP, Spark, HBase, Storm, Kafka, R Server
- Best-in-class developer tooling and Monitoring capabilities
- **Enterprise Features**
 - VNET support (join existing VNETs)
 - Ranger support (Kerberos based Security)
 - Log Analytics via OMS
 - Orchestration via Azure Data Factory
 - Available in most Azure Regions (27) including Gov Cloud and Federal Clouds

Guidance

- Customer needs Hadoop technologies other than, or in addition to Spark
- Customer prefers Hortonworks Spark distribution to stay closer to OSS codebase and/or 'Lift and Shift' from on-premises deployments
- Customer has specific project requirements that are only available on HDInsight

Azure Databricks

What It Is

- Databricks' Spark service as a first party service on Azure
- Single engine for Batch, Streaming, ML and Graph
- Best-in-class notebooks experience for optimal productivity and collaboration
- **Enterprise Features**
 - Native Integration with Azure for Security via AAD (OAuth)
 - Optimized engine for better performance and scalability
 - RBAC for Notebooks and APIs
 - Auto-scaling and cluster termination capabilities
 - Native integration with SQL DW and other Azure services
 - Serverless pools for easier management of resources

Guidance

- Customer needs the best option for Spark on Azure
- Customer teams are comfortable with notebooks and Spark
- Customers need Auto-scaling and
- Customer needs to build integrated and performant data pipelines
- Customer is comfortable with limited regional availability (3 in preview, 8 by GA)

Azure ML

What It Is

- Azure first party service for Machine Learning
- Leverage existing ML libraries or extend with Python and R
- Targets emerging data scientists with drag & drop offering
- Targets professional data scientists with
 - Experimentation service
 - Model management service
 - Works with customers IDE of choice

Guidance


- Azure Machine Learning Studio is a GUI based ML tool for emerging Data Scientists to experiment and operationalize with least friction
- Azure Machine Learning Workbench is not a compute engine & uses external engines for Compute, including SQL Server and Spark
- AML deploys models to HDI Spark currently
- AML should be able to deploy Azure Databricks in the near future

Azure Databricks

Core Concepts


PROVISIONING AZURE DATABRICKS WORKSPACE

- Azure Databricks is provisioned directly from the Azure Portal like any other Azure service
 - In contrast, with other clouds, it has to be provisioned through the Databricks portal.
 - With Azure Databricks, the Azure Portal offers a unified portal to provision and administer Azure Databricks as well as other Azure services.
- Any Azure user with the appropriate subscription and authorization can provision Azure Databricks service*.
 - There is no need for a separate Databricks account



Provisioning the Azure Databricks Service


After provisioning the is complete




* During the current preview phase, the subscription has to be whitelisted.

GENERAL SPARK CLUSTER ARCHITECTURE


- 'Driver' runs the user's 'main' function and executes the various parallel operations on the worker nodes.
- The results of the operations are collected by the driver
- The worker nodes read and write data from/to Data Sources including HDFS.
- Worker node also cache transformed data in memory as RDDs (Resilient Data Sets).
- Worker nodes and the Driver Node execute as VMs in public clouds (AWS, Google and Azure).



AZURE DATABRICKS CLUSTER ARCHITECTURE



CLUSTER MANAGER ARCHITECTURE



Secure Collaboration

SECURE COLLABORATION


Azure Databricks enables *secure* collaboration between colleagues

- With Azure Databricks colleagues can *securely share* key artifacts such as Clusters, Notebooks, Jobs and Workspaces
- Secure collaboration is enabled through a combination of:

Fine grained permissions: Defines who can do what on which artifacts (access control)




AAD-based authentication: Ensures that users are actually who they claim to be



A Z U R E D A T A B R I C K S I N T E G R A T I O N W I T H A A D

Azure Databricks is integrated with AAD—so Azure Databricks users are just regular AAD users

- There is no need to define users—and their access control—separately in Databricks.
- AAD users can be used directly in Azure Databricks for all user-based access control (Clusters, Jobs, Notebooks etc.).
- Databricks has delegated user authentication to AAD enabling single-sign on (SSO) and unified authentication.
- *Notebooks, and their outputs, are stored in the Databricks account.* However, AAD-based access-control ensures that only authorized users can access them.



DATABRICKS ACCESS CONTROL

Access control can be defined at the user level via the Admin Console


Access Control can be defined for Workspaces, Clusters, Jobs and REST APIs

Databricks Access Control	Workspace Access Control	Defines who can view, edit, and run notebooks in their workspace
	Cluster Access Control	Allows users to who can attach to, restart, and manage (resize/delete) clusters. Allows Admins to specify which users have permissions to create clusters
	Jobs Access Control	Allows owners of a job to control who can view job results or manage runs of a job (run now/cancel)
	REST API Tokens	Allows users to use personal access tokens instead of passwords to access the Databricks REST API

ENABLE/DISABLE ACCESS CONTROL

Access Control can be selectively enabled or disabled for:


- Workspaces,
- Clusters,
- Jobs
- REST APIs



The screenshot shows the Microsoft Azure Databricks Settings page. The top navigation bar includes the Microsoft Azure logo, the word "PORTAL", and the user email "snapanalytr@outlook.com". The left sidebar contains navigation icons for Azure, Databricks, Home, Workspace, Recent, Data, Clusters, Jobs, and Search. The main content area is titled "Settings" and has two tabs: "Users" and "Access Control". Under the "Access Control" tab, there are three sections:

- Workspace Access Control: Enabled** with a red "Disable" button and a link "What this means >".
- Cluster and Jobs Access Control: Enabled** with a red "Disable" button and a link "What this means v". Below this, there is explanatory text: "Enabling cluster access control will allow users to control who can attach to, restart, and manage (resize/delete) clusters that they create. It will also allow administrators to control which users have permissions to create clusters. In addition, jobs access control will also be turned on. Jobs access control allows owners of a job to control who can view job results or manage runs of a job (run now/cancel). When cluster access control is enabled, admins will still have attach, restart and manage permissions on existing clusters, as well as the ability to create clusters. When cluster access control is disabled, all users will have permissions to create clusters, as well as attach to, restart, and manage existing clusters. If running jobs via the REST API: Before enabling cluster ACLs, users should ensure that the API user is identical to the job owner/creator. This will ensure seamless continued operation. See the [Documentation](#) to learn more."
- Personal Access Tokens: Enabled** with a red "Disable" button and a link "What this means v". Below this, there is explanatory text: "Enabling Tokens will allow users to use personal access tokens instead of passwords to access the Databricks REST API. See the [Documentation](#) to learn more."


AZURE DATABRICKS CORE ARTIFACTS



Clusters

CLUSTERS

- Azure Databricks clusters are the set of Azure Linux VMs that host the Spark Worker and Driver Nodes
- Your Spark application code (i.e. Jobs) runs on the provisioned clusters.
- Azure Databricks clusters are launched in your subscription—but are managed through the Azure Databricks portal.
- Azure Databricks provides a comprehensive set of graphical wizards to manage the complete lifecycle of clusters—from creation to termination.



CLUSTER CREATION

- You can create two types of clusters – *Standard* and *Serverless Pool* (see next slide)
- While creating a cluster you can specify:
 - Number of nodes
 - Autoscaling and Auto Termination policy
 - Auto Termination policy
 - Spark Configuration details
 - The Azure VM instance types for the Driver and Worker Nodes

General Purpose	
Standard_D3_v2 (beta)	14.0 GB Memory, 4 Cores
✓ Standard_DS3_v2 (beta)	14.0 GB Memory, 4 Cores
Standard_DS4_v2 (beta)	28.0 GB Memory, 8 Cores
Standard_DS5_v2 (beta)	56.0 GB Memory, 16 Cores
Standard_D4s_v3 (beta)	16.0 GB Memory, 4 Cores
Standard_D8s_v3 (beta)	32.0 GB Memory, 8 Cores
Standard_D16s_v3 (beta)	64.0 GB Memory, 16 Cores
Memory Optimized	
Standard_DS11_v2 (beta)	14.0 GB Memory, 2 Cores
Standard_DS12_v2 (beta)	28.0 GB Memory, 4 Cores
Standard_DS13_v2 (beta)	56.0 GB Memory, 8 Cores
Standard_DS14_v2 (beta)	112.0 GB Memory, 16 Cores
Standard_DS15_v2 (beta)	140.0 GB Memory, 20 Cores
Standard_E4s_v3 (beta)	32.0 GB Memory, 4 Cores
Standard_F8s_v3 (beta)	64.0 GB Memory, 8 Cores

Microsoft Azure PORTAL

Create Cluster

New Cluster

Cancel Create Cluster 2-8 Workers: 28.0-112.0 GB Memory, 8-32 Cores
1 Driver: 14.0 GB Memory, 4 Cores

Cluster Type
Serverless Pool (beta, Python/SQL) Standard [Learn more about Serverless Pools](#)

Cluster Name
MyDemoCluster

Databricks Runtime Version
3.3 (includes Apache Spark 2.2.0, Scala 2.11)

Driver Type
Same as worker 14.0 GB Memory, 4 Cores

Worker Type
Standard_DS3_v2 (beta) 14.0 GB Memory, 4 Cores

Graphical wizard in the Azure Databricks portal to create a Standard Cluster

CLUSTERS: AUTO SCALING AND AUTO TERMINATION

Simplifies cluster management and reduces costs by eliminating wastage

When creating Azure Databricks clusters you can choose Autoscaling and Auto Termination options.

Autoscaling: Just specify the min and max number of clusters. Azure Databricks automatically scales up or down based on load.

Auto Termination: After the specified minutes of inactivity the cluster is automatically terminated.

Benefits:

- You do not have to guess, or determine by trial and error, the correct number of nodes for the cluster
- As the workload changes you do not have to manually tweak the number of nodes
- You do not have to worry about wasting resources when the cluster is idle. You only pay for resource when they are actually being used
- You do not have to wait and watch for jobs to complete just so you can shutdown the clusters

Microsoft Azure PORTAL

Create Cluster

New Cluster Cancel Create Cluster 2-8 Workers: 28.0-112.0 GB Memory, 8-32 Cores
1 Driver: 14.0 GB Memory, 4 Cores

Cluster Type
 Serverless Pool (beta, Python/SQL) Standard [Learn more about Serverless Pools](#)

Cluster Name

Databricks Runtime Version
3.3 (includes Apache Spark 2.2.0, Scala 2.11)

Driver Type
Same as worker 14.0 GB Memory, 4 Cores

Worker Type
Standard DS3 v2 (beta) 14.0 GB Memory, 4 Cores


Min Workers Max Workers Enable Autoscaling

Auto Termination
 Terminate after minutes of inactivity

SERVERLESS POOL (BETA)

A self-managed pool of cloud resources, auto-configured for interactive Spark workloads

- You specify only the **minimum** and **maximum** number of nodes in the cluster—Azure Databricks provisions and adjusts the compute and local storage based on your usage.
- Limitation: Currently works only for SQL and Python.




Benefits of Serverless Pool

Auto-Configuration	<ul style="list-style-type: none">■ Databricks chooses the best configuration for Spark to get the best performance■ Users don't need to worry about providing any of the Databricks runtime version or Spark configuration.■ Databricks also chooses the best cluster parameters to save cost on infrastructure
Elasticity	<ul style="list-style-type: none">■ Automatically scales the compute and local storage, independently, based on usage
Fine grained Sharing	<ul style="list-style-type: none">■ Offers maximum resource utilization and minimum query latencies<ul style="list-style-type: none">• <i>Preemption</i>: Databricks proactively preempts Spark tasks from over-committed users to ensure all users get their fair share of cluster time and their jobs complete in a timely manner even when contending with dozens of other users. Uses the "Task Preemption for High Concurrency" feature of Spark in Databricks.• <i>Fault isolation</i>: Databricks sandboxes the environments belonging to different notebooks from one another.

CLUSTER ACCESS CONTROL

- There are two configurable types of permissions for Cluster Access Control:
 - *Individual Cluster Permissions* - This controls a user's ability to attach notebooks to a cluster, as well as to restart/resize/terminate/start clusters.
 - *Cluster Creation Permissions* - This controls a user's ability to create clusters
- Individual permissions can be configured on the Clusters Page by clicking on Permissions under the 'More Actions' icon of an existing cluster
- There are 4 different individual cluster permission levels: *No Permissions*, *Can Attach To*, *Can Restart*, and *Can Manage*. Privileges are shown below

Abilities	No Permissions	Can Attach To	Can Restart	Can Manage
Attach notebooks to cluster		x	x	x
View Spark UI		x	x	x
View cluster metrics (Ganglia)		x	x	x
Terminate cluster			x	x
Start cluster			x	x
Restart cluster			x	x
Resize cluster				x
Modify permissions				x



Permission Settings for: ntedemodbrstreamingdemocrispt

Who has access:

admins (group)	Can Manage	
all users (group)	Can Manage	✕
Tom Smith (tom@company.com)	Can Manage	✕


Add Users and Groups:

Jobs

J O B S

Jobs are the mechanism to submit Spark application code for execution on the Databricks clusters

- Spark application code is submitted as a 'Job' for execution on Azure Databricks clusters
- Jobs execute either 'Notebooks' or 'Jars'
- Azure Databricks provide a comprehensive set of graphical tools to create, manage and monitor Jobs.



CREATING AND RUNNING JOBS (1 OF 2)

When you create a new Job you have to specify:

- The Notebook or Jar to execute
- Cluster: The cluster on which the Job execute. This could be an exiting or new cluster.
- Schedule i.e. how often the Job runs. Jobs can also be run one time right away.

The screenshot shows the Microsoft Azure Databricks portal interface. The top navigation bar includes the Microsoft Azure logo and the word 'PORTAL'. A left sidebar contains navigation icons for Azure, Databricks, Home, Workspace, Recent, and Data. The main content area displays the details for a job titled 'My Test Job'. Below the job title, there is a breadcrumb '< All Jobs' and an edit icon. The job configuration includes: Job ID: 12; Task: Select Notebook / Set JAR; Cluster: Driver: Standard_DS3_v2 (beta), Workers: Standard_DS3_v2 (beta), 126 GB, 3.3 (includes Apache Spark 2.2.0, Scala 2.11) Edit; Schedule: None Edit; Alerts: None ⓘ; Maximum Concurrent Runs: 1 Edit; Timeout: None Edit; Retries: None Edit; Permissions: Edit.

Schedule Job

Schedule

Every 2 hours starting at 01 : 02 US/Pacific

Show Cron Syntax

Cancel Confirm

Upload JAR to Run

Notice: Uploaded JARs should use a shared SparkContext by calling `SparkContext.getOrCreate()`.

Drop JAR here to upload

Main class

Arguments

Cancel OK

CREATING AND RUNNING JOBS (2 OF 2)

When you create a new job you can optionally specify advanced options:

- Maximum number of concurrent runs of the Job
- Timeout: Jobs still running beyond the specified duration are automatically killed
- Retry Policy: Specifies if—and when—failed jobs will be retried
- Permissions: Who can do what with jobs. This allows for Job definition and management to be *securely shared* with others (see next slide)

The screenshot shows the Microsoft Azure portal interface for a job named 'My Test Job'. The left sidebar contains navigation options: Azure, Databricks, Home, Workspace, Recent, and Data. The main content area displays the job details:

- Job ID:** 12
- Task:** [Select Notebook](#) / [Set JAR](#)
- Cluster:** Driver: Standard_DS3_v2 (beta), Workers: Standard_DS3_v2 (beta), 126 GB, 3.3 (includes Apache Spark 2.2.0, Scala 2.11) [Edit](#)
- Schedule:** None [Edit](#)
- Advanced** (dropdown menu)
- Alerts:** None [?](#)
- Maximum Concurrent Runs:** 1 [Edit](#)
- Timeout:** None [Edit](#)
- Retries:** None [Edit](#)
- Permissions:** [Edit](#)

The 'Set Retry Policy' dialog box contains the following information:

Jobs that fail will be retried a number of times based on the following policy. You can specify a maximum number of attempts for a run and a minimal interval between attempts.

Retry at most and wait between retries.

Retry on timeouts

Buttons: Cancel, OK

The 'Permission Settings' dialog box shows the following configuration:

Who has access:

admins (group)	Can Manage	?
Madhu Reddy (snapanalytx@outlook.com)	Is Owner	x

Add Users and Groups:

[?](#)

Buttons: Cancel, Save Changes

J O B A C C E S S C O N T R O L

Enables job owners and administrators to grant fine grained permissions on their jobs


- With Jobs Access Controls job owners can choose which other users or groups can view results of the job.
- Owners can also choose who can manage runs of their job (i.e. invoke run now and cancel.)
- There are 5 different permission levels for jobs:
 - No Permissions
 - Can View
 - Can Manage Run
 - Is Owner and
 - Can Manage

Abilities	No Permissions	Can View	Can Manage Run	Is Owner	Can Manage (admin)
View job details and settings	Yes	Yes	Yes	Yes	Yes
View results, Spark UI, logs of a job run		Yes	Yes	Yes	Yes
Run now			Yes	Yes	Yes
Cancel run			Yes	Yes	Yes
Edit job settings				Yes	Yes
Modify permissions				Yes	Yes
Delete job				Yes	Yes
Change owner					Yes


Note: 'Can Manage' permission is reserved for administrators.

VIEWING LIST OF JOBS

In the Portal you can view the list of all jobs you have access to

You can click on "Run Now" icon  to run the job right away

You can also delete a job from the list



The screenshot shows the Microsoft Azure Databricks Jobs Portal. The interface includes a sidebar with navigation options: Azure, Databricks, Home, Workspace, Recent, Data, Clusters, and Jobs. The main content area displays a table of jobs with columns for Name, Job ID, Created By, Task, Cluster, Schedule, Last Run, and Action. A '+ Create Job' button and a search filter are also visible.

Name ↑	Job ID	Created By	Task	Cluster	Schedule	Last Run	Action
● Evaluate	1	Joe Smith	.. ntedemoevaluationtest	ntedemodbrcluster10012017, 2	None	Succeeded	▶ ✕
● Evaluate Image	7	Joe Smith	.. ModelEvaluationNotebook	ntedemodbrclusterdemoscrypt, 2	None	Succeeded	▶ ✕
● Untitled	5	Joe Smith	..	8 Workers: Standard_DS3_v2 (l 3.2 (includes Apache Spark 2.2	None		✕
● Untitled	8	Joe Smith		8 Workers: Standard_DS3_v2 (l 3.3 (includes Apache Spark 2.2	None		✕
● Untitled	9	Joe Smith		8 Workers: Standard_DS3_v2 (l 3.3 (includes Apache Spark 2.2	None		✕

VIEWING JOBS HISTORY

In the Azure Databricks Jobs Portal you can view:

- The list of currently running (Active) Jobs
- History of old Job runs (for up to 60 days)
- The output of a particular Job run (including standard error, standard output, Spark UI logs)

The screenshot shows the 'Run 6 of Evaluate' page in the Azure Databricks Jobs Portal. The page includes a sidebar with navigation options like Home, Workspace, Recent, Data, Clusters, Jobs, and Search. The main content area displays job details: Started: 2017-09-28 09:00:00 Pacific Daylight Time, Duration: 26s, Status: Succeeded, Job ID: 1. The task is a Notebook at a specific path. Below the task details, there is an 'Output' section showing a shell command and its execution result: 'Already exists'. The command took 0.07 seconds.

The screenshot shows the 'Evaluate' job page in the Azure Databricks Jobs Portal. The page includes a sidebar with navigation options like Home, Workspace, Recent, Data, Clusters, Jobs, and Search. The main content area displays job details: Job ID: 1, Task: Notebook at a specific path, Cluster: ntedemodbrcluster10012017 (42 GB, Running, 3.2 (includes Apache Spark 2.2.0, Scala 2.11)), Schedule: None. Below the job details, there is an 'Active runs' section with a table showing the latest successful run. Below that, there is a 'Completed in past 60 days' section with a table showing the history of job runs.



Run	Start Time	Launched	Duration	Spark	Status
Run 11	2017-11-08 23:01:01 Pacific Standard Time	Manually	9s	Spark UI / Logs	Cancelled
Run 10	2017-09-28 09:13:42 Pacific Daylight Time	Manually	21s	Spark UI / Logs	Succeeded
Run 9	2017-09-28 09:12:33 Pacific Daylight Time	Manually	46s	Spark UI / Logs	Succeeded
Run 8	2017-09-28 09:03:05 Pacific Daylight Time	Manually	24s	Spark UI / Logs	Succeeded
Run 7	2017-09-28 09:01:26 Pacific Daylight Time	Manually	24s	Spark UI / Logs	Succeeded
Run 6	2017-09-28 09:00:00 Pacific Daylight Time	Manually	26s	Spark UI / Logs	Succeeded

Workspaces & Folders

WORKSPACES

Workspaces enables users to organize—and share—their Notebooks, Libraries and Dashboards

- Workspaces—sort of like Directories—are a convenient way to organize an user’s Notebook, Libraries and Dashboards.
- Everything in a workspace is organized into hierarchical folders. Folders can hold Libraries, Notebooks, Dashboard or more (sub) folders.
 - Icons indicate the type of the object contained in a folder
- Every user has one directory that is private and unshared.
 - By default, the workspace and all its contents are available to users.
- Fine grained access control can be defined on workspaces (next slide) to enable *secure collaboration with colleagues*.




WORKSPACE OPERATIONS

You can search the entire Databricks workspace

In the Azure Databricks Portal, via the Workspaces drop down menu, you can:


- Create Folders, Notebooks and Libraries
- Import Notebooks into the Workspace
- Export the Workspace to a database archive
- Set Permissions. You can grant 4 levels of permissions
 - Can Manage
 - Can Read
 - Can Edit
 - Can Run



FOLDER OPERATIONS AND ACCESS CONTROL

In the Azure Databricks Portal, via the Folder drop down menu, you can:

- Create Folders, Notebooks and Libraries within the folder
- Clone the folder to create a deep copy of the folder
- Rename or delete the folder
- Move the folder to another location
- Export a folder to save it and its contents as a Databricks archive
- Import a saved Databricks archive into the selected folder
- Set Permissions for the folder. As with Workspaces you can set 5 levels of permissions: *No Permissions, Can Manage, Can Read, Can Edit, Can Run*




Abilities	No Permissions	Read	Run	Edit	Manage
Create items					✓
Delete items					✓
Move/rename items					✓
Change permissions					✓

Abilities associated with each permission level

Notebooks, Libraries, Visualization

AZURE DATABRICKS NOTEBOOKS OVERVIEW

Notebooks are a popular way to develop, and run, Spark Applications

- Notebooks are not only for authoring Spark applications but can be *run/executed directly* on clusters
 - **Shift+Enter**
 - click the  at the top right of the cell in a notebook
 - Submit via Job
- Notebooks support fine grained permissions—so they can be *securely shared* with colleagues for collaboration (see following slide for details on permissions and abilities)
- Notebooks are well-suited for prototyping, rapid development, exploration, discovery and iterative development



Notebooks typically consist of code, data, visualization, comments and notes

MIXING LANGUAGES IN NOTEBOOKS

You can mix multiple languages in the same notebook


Normally a notebook is associated with a specific language. However, with Azure Databricks notebooks, you can mix multiple languages in the same notebook. This is done using the language magic command:


- `%python` Allows you to execute python code in a notebook (even if that notebook is not python)
- `%sql` Allows you to execute sql code in a notebook (even if that notebook is not sql).
- `%r` Allows you to execute r code in a notebook (even if that notebook is not r).
- `%scala` Allows you to execute scala code in a notebook (even if that notebook is not scala).
- `%sh` Allows you to execute shell code in your notebook.
- `%fs` Allows you to use Databricks Utilities - dbutils filesystem commands.
- `%md` To include rendered markdown

NOTEBOOK OPERATIONS AND ACCESS CONTROL

You can create a new notebook from the Workspace or the folder drop down menu (see previous slides)

From a notebook's drop down menu you can:

- Clone the notebook
- Rename or delete the notebook
- Move the notebook to another location
- Export a notebook to save it and its contents as a Databricks archive or IPython notebook or HTML or source code file.
- Set Permissions for the notebook As with Workspaces you can set 5 levels of permissions: *No Permissions, Can Manage, Can Read, Can Edit, Can Run*
- You can also set permissions from notebook UI itself by selecting the  menu option.





Abilities	No Permissions	Read	Run	Edit	Manage
View cells		✓	✓	✓	✓
Comment		✓	✓	✓	✓
Run Commands			✓	✓	✓
Attach/detach notebooks			✓	✓	✓
Edit cells				✓	✓
Change permissions					✓

Abilities associated with each permission level

VISUALIZATION

Azure Databricks supports a number of visualization plots out of the box

- All notebooks, *regardless of their language*, support Databricks visualizations.
- When you run the notebook the visualizations are rendered inside the notebook in-place
- The visualizations are written in HTML.
 - You can save the HTML of the entire notebook by exporting to HTML.
 - If you use Matplotlib, the plots are rendered as images so you can just right click and download the image
- You can change the plot type just by picking from the selection



LIBRARIES OVERVIEW

Enables external code to be imported and stored into a Workspace

- Libraries are containers to hold all your *Python, R, Java/Scala* libraries.
- Libraries resides within workspaces or folders.
- Libraries are created by importing the source code
- After importing libraries are immutable—can be deleted or overwritten only.
- You can customize installation of libraries via [Init Scripts](#) by writing custom UNIX scripts
- Libraries can also be managed via the [Library API](#)

This screenshot shows the 'Create Library' page in the Microsoft Azure portal. The 'Language' dropdown is set to 'Upload Python Egg or PyPI'. Under the 'Install PyPi Package' section, there is a 'PyPi Name' input field with the example 'PyPi Package (e.g. simplejson or simplejson==3.8.0)' and an 'Install Library' button. The 'Upload Egg' section has a 'Library Name' input field and an 'Egg File' upload area with the instruction 'Drop library egg here to upload' and a 'Create Library' button.

This screenshot shows the 'Create Library' page in the Microsoft Azure portal. The 'Source' dropdown is set to 'R Library'. The 'Install from' dropdown is set to 'CRAN-like Repository'. The 'Repository' input field contains 'https://cloud.r-project.org'. There is an empty 'Package' input field and a 'Create Library' button at the bottom.


This screenshot shows the 'Create Library' page in the Microsoft Azure portal. The 'Source' dropdown is set to 'Upload Java/Scala JAR'. The 'Library Name' input field contains 'My Library'. There is an empty 'JAR File' upload area with the instruction 'Drop library JAR here to upload' and a 'Create Library' button.

This screenshot shows the 'Create Library' page in the Microsoft Azure portal. The 'Source' dropdown is set to 'Maven Coordinate'. The 'Install Maven Artifacts' section has a 'Coordinate' input field with the example 'Maven Coordinate (e.g. com.databricks:spark-csv_2.10:1.0.0)'. There is a 'Search Spark Packages and Maven Central' button and an 'Advanced Options' section. A 'Create Library' button is at the bottom.

DATABRICKS FILE SYSTEM (DBFS)

Is a distributed File System (DBFS) that is a layer over Azure Blob Storage


- Azure Storage buckets can be mounted in DBFS so that users can directly access them without specifying the storage keys
- DBFS mounts are created using `dbutils.fs.mount()`
- Azure Storage data can be cached locally on the SSD of the worker nodes
- Available in both Python and Scala and accessible via a DBFS CLI
- Data persist in Azure Blob Storage – is not lost even after cluster termination
- Comes pre-installed on Spark clusters in Databricks



Azure Databricks Performance

DATABRICKS SPARK IS FAST


Benchmarks have shown Databricks to often have better performance than alternatives



SOURCE: [Benchmarking Big Data SQL Platforms in the Cloud](#)

WHAT MAKES SPARK FAST? (1 OF 2)

- **In-memory cluster computing:** Spark provides primitives for *in-memory* cluster computing. A Spark job can *load and cache* data into memory and query it repeatedly (iteratively) much quicker than disk-based systems.
- **Scala Integration:** Spark integrates into the [Scala](#) programming language, letting you manipulate distributed datasets like local collections. No need to structure everything as map and reduce operations
- **Faster Data-sharing:** Data-sharing between operations is faster as data is in-memory:
 - In (traditional) Hadoop data is shared through HDFS which is expensive. HDFS maintains three replicas.
 - Spark stores data in-memory *without any replication*.



WHAT MAKES SPARK FAST? (2 OF 2)

Databricks IO Cache automatically caches 'remote' data on 'local nodes' to accelerate data reads

- A copy of the remote file is created in the node's local storage
 - Local data is stored in a fast intermediate format
 - Currently *Parquet* file format is supported
- Remote data is cached automatically
- Supports *DBFS, HDFS, Azure Blob Storage and Azure Data Lake store*
- DBIO Cache lets you"
 - Enable or disable caching at anytime
 - Cache only a select subset of the data
- DBIO Cache has to be configured during cluster creation. The '*max disk space per node reserved for cached data*' must be specified during cluster creation

You can Monitor the state of the DBIO cache in the Portal

Storage

Parquet IO Cache

Host	Disk Usage	Max Disk Usage Limit	Percent Disk Usage	Metadata Cache Size	Max Metadata Cache Size Limit	Percent Metadata Usage
10.0.185.226	8.3 GB	442.4 GB	1 %	6.8 MB	8.8 GB	0 %
10.0.194.201	8.2 GB	442.4 GB	1 %	6.8 MB	8.8 GB	0 %
10.0.199.229	8.2 GB	442.4 GB	1 %	6.9 MB	8.8 GB	0 %
10.0.215.147	8.1 GB	442.4 GB	1 %	7.0 MB	8.8 GB	0 %
Total	32.8 GB	1769.5 GB	1 %	27.4 MB	35.4 GB	0 %

R D D S A N D D B I O C A C H E - D I F F E R E N C E S

DBIO cache and RDDs are both caches that can be used together


Capability	Comment
Availability	<ul style="list-style-type: none">• RDD is part of Apache Spark• Databricks IO cache is available only to Databricks customers.
Type of data stored	<ul style="list-style-type: none">• The RDD cache can be used to store the result of any subquery.• The DBIO cache is designed to speed-up scans by creating local copies of remote data. It can improve the performance of a wide range of queries, but cannot be used to store results of arbitrary subqueries.
Performance	<ul style="list-style-type: none">• The data stored in the DBIO cache can be read and operated on faster than the data in the RDD cache. This is because the DBIO cache uses efficient decompression algorithms, and outputs data in the optimal format for further processing using whole-stage code generation.
Automatic vs manual control	<ul style="list-style-type: none">• When using the RDD cache it is necessary to manually choose tables or queries to be cached.• When using the DBIO cache the data is added to the cache automatically whenever it has to be fetched from a remote source. This process is fully transparent and does not require any action from the user.
Disk vs memory-based	<ul style="list-style-type: none">• Unlike the RDD cache, the DBIO cache is stored entirely on the local disk.

Data Analytics

SPARK SQL OVERVIEW

Spark SQL is a distributed SQL query engine for processing structured data


- Can query data stored in wide variety of data sources—external databases, structured data files, Hive tables and more.
- Data can be queried using either SQL or HiveQL
- Has bindings in Python, Scala and Java
- Has built-in support for structured streaming.
- Built using the [Catalyst optimizer](#) and [Tungsten execution](#)




DATABASES AND TABLES OVERVIEW

Tables enable data to be structured and queried using Spark SQL or any of the Spark's language APIs


- Databases are a collection of related tables
- Tables are defined using the GUI in the console or programmatically using APIs or Notebooks
- Databricks uses the Hive metastore to manage tables, and supports all file formats and Hive data sources.
- There are multiple ways to create tables (see next slide).
- Like Apache Spark DataFrames, any Spark operation can be applied to Tables (including caching, filtering).
- Partitioned Tables and Partition Pruning: Spark SQL is able to dynamically generate partitions at the file storage level to provide partition columns for tables. When the table is scanned, Spark pushes down the filter predicates involving the [partitionBy](#) keys for partition pruning.




WAYS TO CREATE TABLES



From Spark Data Sources



From data in DBFS



From local files (in CSV, JSON or Avro formats)

Note: You can also create tables programmatically (CREATE TABLE tablename ...)

TABLE OPERATIONS

Azure Databricks tables support the following operations

- **Listing** database and tables
- **Viewing** table details including its schema and sample data
- **Reading** from tables
- **Updating** tables: Table schema is immutable. However, a user can update table data by changing the underlying files.
- **Deleting** tables: A user can delete tables either through the UI or programmatically

From SQL:

```
SELECT * FROM diamonds
```

From Python, use one of these examples:

```
diamonds = spark.sql("SELECT * FROM diamonds")  
display(diamonds.select("*"))
```

```
diamonds = spark.table("diamonds")  
display(diamonds.select("*"))
```

From Scala, use one of these examples:

```
val diamonds = spark.sql("SELECT * FROM diamonds")  
display(diamonds.select("*"))
```


```
val diamonds = spark.table("diamonds")  
display(diamonds.select("*"))
```

The screenshot shows the Microsoft Azure Databricks portal interface. The top navigation bar includes 'Microsoft Azure' and 'PORTAL'. A sidebar on the left contains navigation icons for Azure Databricks, Home, Workspace, Recent, Data, Clusters, Jobs, and Search. The main content area displays the details for a table named 'movies'. It includes a 'Refresh' button, a dropdown menu for the cluster (set to 'ntedemodbrcluster10012017'), and a 'Schema:' section with a table showing column names, data types, and comments. Below the schema is a 'Sample Data:' section with a table showing rows of movie data.

col_name	data_type	comment
categories	array<string>	null
id	bigint	null
name	string	null
year	bigint	null

categories	id	name	year
▶ ["Drama", "Romance"]	2020	Dangerous Liaisons	1988
▶ ["Fantasy", "Sci-Fi"]	2021	Dune	1984
▶ ["Drama"]	2022	Last Temptation of Christ, The	1988
▶ ["Action", "Crime", "Drama"]	2023	Godfather: Part III, The	1990
▶ ["Drama", "Mystery"]	2024	Rapture, The	1991
▶ ["Drama", "Romance"]	2025	Lolita	1997
▶ ["Horror", "Thriller"]	2026	Disturbing Behavior	1998

LOCAL AND GLOBAL TABLES




A Z U R E S Q L D W I N T E G R A T I O N

Integration enables structured data from SQL DW to be included in Spark Analytics



Azure SQL Data Warehouse is a SQL-based fully managed, petabyte-scale cloud solution for data warehousing

- You can bring in data from Azure SQL DW to perform advanced analytics that require both structured and unstructured data.
- Currently you can access data in Azure SQL DW via the [JDBC driver](#). From within your spark code you can access just like any other JDBC data source.
- If Azure SQL DW is authenticated via AAD then Azure Databricks user can seamlessly access Azure SQL DW.



POWER BI INTEGRATION

Enables powerful visualization of data in Spark with Power BI



Power BI is a business analytics tool that provides data Visualization, Report and Dashboard throughout an organization


Power BI Desktop can connect to Azure Databricks clusters to query data using JDBC/ODBC server that runs on the driver node.

- This server listens on port 10000 and it is not accessible outside the subnet where the cluster is running.
- Azure Databricks uses a public HTTPS gateway
- The JDBC/ODBC connection information can be obtained from the Cluster UI directly as shown in the figure.
- When establishing the connection, you can use a Personal Access Token to authenticate to the cluster gateway. Only users who have attach permissions can access the cluster via the JDBC/ ODBC endpoint.
- In Power BI desktop you can setup the connection by choosing the ODBC data source in the "Get Data" option.

The image shows two screenshots. The left screenshot is the Power BI Desktop interface with the 'Get Data' menu open, showing options like Excel, Power BI service, SQL Server, Analysis Services, Text/CSV, Web, OData feed, and Blank Query. The right screenshot is a configuration window for a Spark JDBC/ODBC connection. It has tabs for Spark, Logging, JDBC/ODBC, and Permissions. The JDBC/ODBC tab is active, showing fields for Server Hostname (westeurope.azuredatabricks.net), Port (443), Protocol (HTTPS), HTTP Path (sql/protocolv1/o/3940194168315486/0925-153006-ugh295 (unique) and sql/protocolv1/o/3940194168315486/ntedemoapitest (alias, not guaranteed unique)), and JDBC URL (jdbc:hive2://westeurope.azuredatabricks.net:443/default;transportMode=http;ssl=true;httpPath=sql/protocolv1/o/3940194168315486/0925-153006-ugh295 and jdbc:hive2://westeurope.azuredatabricks.net:443/default;transportMode=http;ssl=true;httpPath=sql/protocolv1/o/3940194168315486/ntedemoapitest).


COSMOS DB INTEGRATION

The Spark connector enables real-time analytics over globally distributed data in Azure Cosmos DB

 [Azure Cosmos DB](#) is Microsoft's [globally distributed](#), multi-model database service for mission-critical applications

- With Spark connector for Azure Cosmos DB, Apache Spark can now interact with all Azure Cosmos DB data models: *Documents, Tables, and Graphs*.
 - efficiently exploits the native Azure Cosmos DB managed indexes and enables updateable columns when performing analytics.
 - utilizes push-down predicate filtering against fast-changing globally-distributed data
- Some use-cases for Azure Cosmos DB + Spark include:
 - Streaming Extract, Transformation, and Loading of data (ETL)
 - Data enrichment
 - Trigger event detection
 - Complex session analysis and personalization
 - Visual data exploration and interactive analysis
 - Notebook experience for data exploration, information sharing, and collaboration

The connector uses the [Azure DocumentDB Java SDK](#) and moves data directly between Spark worker nodes and Cosmos DB data nodes



A Z U R E B L O B S T O R A G E I N T E G R A T I O N

Data can be read from [Azure Blob Storage](#) using the Hadoop FileSystem interface. Data can be read from public storage accounts without any additional settings. To read data from a private storage account, you need to set an account key or a [Shared Access Signature \(SAS\)](#) in your notebook

Setting up an account key

```
spark.conf.set ( "fs.azure.account.key.{Your Storage Account Name}.blob.core.windows.net", "{Your Storage Account Access Key}")
```

Setting up a SAS for a given container:

```
spark.conf.set( "fs.azure.sas.{Your Container Name}.{Your Storage Account Name}.blob.core.windows.net", "{Your SAS For The Given Container}")
```

Once an account key or a SAS is setup, you can use standard Spark and Databricks APIs to read from the storage account:

```
val df = spark.read.parquet("wasbs://{Your Container Name}@m{Your Storage Account name}.blob.core.windows.net/{Your Directory Name}")  
dbutils.fs.ls("wasbs://{Your Container Name}@{Your Storage Account Name}.blob.core.windows.net/{Your Directory Name}")
```

A Z U R E D A T A L A K E I N T E G R A T I O N

To read from your Data Lake Store account, you can configure Spark to use service credentials with the following snippet in your notebook

```
spark.conf.set("dfs.adls.oauth2.access.token.provider.type", "ClientCredential")
spark.conf.set("dfs.adls.oauth2.client.id", "{YOUR SERVICE CLIENT ID}")
spark.conf.set("dfs.adls.oauth2.credential", "{YOUR SERVICE CREDENTIALS}")
spark.conf.set("dfs.adls.oauth2.refresh.url", "https://login.windows.net/{YOUR DIRECTORY ID}/oauth2/token")
```

After providing credentials, you can read from Data Lake Store using standard APIs:


```
val df = spark.read.parquet("adl://{YOUR DATA LAKE STORE ACCOUNT NAME}.azuredatalakestore.net/{YOUR DIRECTORY NAME}")
dbutils.fs.list("adl://{YOUR DATA LAKE STORE ACCOUNT NAME}.azuredatalakestore.net/{YOUR DIRECTORY NAME}")
```

Machine Learning and Deep Learning

SPARK MACHINE LEARNING (ML) OVERVIEW

Enables Parallel, Distributed ML for large datasets on Spark Clusters

- Offers a set of parallelized machine learning algorithms (see next slide)
- Supports [Model Selection](#) (hyperparameter tuning) using [Cross Validation](#) and [Train-Validation Split](#).
- Supports Java, Scala or Python apps using [DataFrame](#)-based API (as of Spark 2.0). Benefits include:
 - An uniform API across ML algorithms and across multiple languages
 - Facilitates [ML pipelines](#) (enables combining multiple algorithms into a single pipeline).
 - Optimizations through Tungsten and Catalyst
- Spark MLlib comes pre-installed on Azure Databricks
- 3rd Party libraries supported include: [H2O Sparkling Water](#), [SciKit-learn](#) and [XGBoost](#)




M M L S P A R K

[Microsoft Machine Learning Library](#) for Apache Spark (MMLSpark) lets you easily create scalable machine learning models for large datasets.

It includes integration of SparkML pipelines with the [Microsoft Cognitive Toolkit](#) and [OpenCV](#), enabling you to:

- Ingress and pre-process image data
- Featurize images and text using pre-trained deep learning models
- Train and score classification and regression models using implicit featurization



SPARK ML ALGORITHMS


Spark ML Algorithms

Classification and Regression	<ul style="list-style-type: none">• Linear Models (SVMs, logistic regression, linear regression)• Naïve Bayes• Decision Trees• Ensembles of trees (Random Forest, Gradient-Boosted Trees)• Isotonic regression
Clustering	<ul style="list-style-type: none">• k-means and streaming k-means• Gaussian mixture• Power iteration clustering (PIC)• Latent Dirichlet allocation (LDA)
Collaborative Filtering	<ul style="list-style-type: none">• Alternating least squares (ALS)
Dimensionality Reduction	<ul style="list-style-type: none">• SVD• PCA
Frequent Pattern Mining	<ul style="list-style-type: none">• FP-growth• Association rules
Basic Statistics	<ul style="list-style-type: none">• Summary statistics• Correlations• Stratified sampling• Hypothesis testing• Random data generation


DEEP LEARNING

Azure Databricks supports and integrates with a number of Deep Learning libraries and frameworks to make it easy to build and deploy Deep Learning applications

- Supports Deep Learning Libraries/frameworks including:
 - [Microsoft Cognitive Toolkit \(CNTK\)](#)
 - [Article](#) explains how to install CNTK on Azure Databricks.
 - [TensorFlowOnSpark](#)
 - [BigDL](#)
- Offers [Spark Deep Learning Pipelines](#), a suite of tools for working with and processing images using deep learning using [transfer learning](#). It includes high-level APIs for common aspects of deep learning so they can be done efficiently in a few lines of code:
 - Image loading
 - Applying pre-trained models as transformers in a Spark ML pipeline
 - Transfer learning
 - Distributed hyperparameter tuning
 - Deploying models in DataFrames and SQL



Distributed Hyperparameter Tuning




Transfer Learning

SPARKR OVERVIEW

An R package that provides a light-weight frontend to use Apache Spark from R

- Provides a distributed DataFrame implementation that supports operations like selection, filtering, aggregation etc (similar to R data frames, dplyr)
- Supports distributed machine learning using Spark MLlib.
- R programs can connect to a Spark cluster from RStudio, R shell, Rscript or other R IDEs.





Stream Analytics & Graph Processing

SPARK STRUCTURED STREAMING OVERVIEW

A unified system for end-to-end fault-tolerant, exactly-once stateful stream processing


- Unifies streaming, interactive and batch queries—a single API for both static bounded data and streaming unbounded data.
- Runs on Spark SQL. Uses the Spark SQL [Dataset/DataFrame](#) API used for batch processing of static data.
- Runs incrementally and continuously and updates the results as data streams in.
- Supports app development in Scala, Java, Python and R.
- Supports streaming aggregations, event-time windows, windowed grouped aggregation, stream-to-batch joins.
- Features streaming deduplication, multiple output modes and APIs for managing/monitoring streaming queries.
- Built-in sources: Kafka, File source (json, csv, text, parquet)



A P A C H E K A F K A F O R H D I N S I G H T I N T E G R A T I O N

Azure Databricks Structured Streaming integrates with Apache Kafka for HDInsight

- Apache Kafka for Azure HDInsight is an enterprise grade streaming ingestion service running in Azure.
- Azure Databricks Structured Streaming applications can use Apache Kafka for HDInsight as a data source or sink.
- No additional software (gateways or connectors) are required.
- Setup: Apache Kafka on HDInsight does not provide access to the Kafka brokers over the public internet. So the Kafka clusters and the Azure Databricks cluster must be located in the same Azure Virtual Network.



Note: Azure Databricks Structured Streaming integration with **Azure Event Hubs** is forthcoming

SPARK GRAPHX OVERVIEW


A set of APIs for graph and graph-parallel computation.

- Unifies ETL, exploratory analysis, and iterative graph computation within a single system.
- Developers can:
 - [view](#) the same data as both graphs and collections,
 - [transform](#) and [join](#) graphs with RDDs, and
 - write custom iterative graph algorithms using the [Pregel API](#).
- Currently only supports using the Scala and RDD APIs.

Algorithms

- PageRank
- Connected components
- Label propagation
- SVD++
- Strongly connected components
- Triangle count

PageRank Benchmark




Source: [AMPLab](#)

CLI and REST APIs

DATABRICKS CLI

An easy to use interface built on top of the Databricks [REST API](#)



Currently, the CLI fully implements the [DBFS API](#) and the [Workspace API](#)

DATABRICKS WORKSPACE CLI

Databricks Workspace CLI Commands

delete	Deletes objects from the Databricks...
export	Exports a file from the Databricks workspace...
export_dir	Recursively exports a directory from the...
import	Imports a file from local to the Databricks...
import-dir	Recursively imports a directory from local to...
list / ls	List objects in the Databricks Workspace
mkdirs	Make directories in the Databricks Workspace
rm	Deletes objects from the Databricks...

Workspace CLI Example

```
$ Databricks workspace ls /Users/example@Databricks.com/example -l
NOTEBOOK a PYTHON
NOTEBOOK b SCALA
NOTEBOOK c SQL
NOTEBOOK d R
DIRECTORY e
```

DBFS CLI

Leverages the [DBFS API](#) to provide an easy Command Line Interface to DBFS

DBFS CLI Commands:

cp	Copy files to and from DBFS.
ls	List files in DBFS.
mkdirs	Make directories in DBFS.
mv	Moves a file between two DBFS paths.
rm	Remove files from dbfs.

DBFS CLI examples

```
# List files in DBFS
dbfs ls

# Put local file ./foo.txt to dbfs:/foo.txt
dbfs cp ./foo.txt dbfs:/foo.txt

# Get dbfs:/foo.txt and save to local file ./foo.txt
dbfs cp dbfs:/foo.txt ./foo.txt

# Recursively put local dir ./foo to dbfs:/foo
dbfs cp -r ./foo dbfs:/foo
```

Note: All dbfs paths should be prefixed with dbfs://

DATABRICKS UTILITIES (DBUTILS)

Set of tools that make it easy to perform combinations of tasks

dbutils



fs: Database Filesystem (DBFS) utilities

meta: Methods to hook into the compiler (EXPERIMENTAL)

notebook: Utilities for the control flow of a notebook (EXPERIMENTAL)

widgets: Methods to create and get bound value of input widgets inside notebooks

DATABRICKS REST API

Databricks REST API




Cluster API	Create/edit/delete clusters
DBFS API	Interact with the Databricks File System
Groups API	Manage groups of users
Instance Profile API	Allows admins to add, list, and remove instances profiles that users can launch clusters with
Job API	Create/edit/delete jobs
Library API	Create/edit/delete libraries
Workspace API	List/import/export/delete notebooks/folders

DATABRICKS API - AUTHENTICATION

Personal access tokens or passwords can be used to authenticate and access Databricks REST APIs

- Tokens can be *generated* and *revoked* from the Databricks Portal Token Management Page.
- Tokens have an expiration time
- In the REST call, the token is placed in the header as

-H "Authorization: Bearer TOKEN_VALUE"





© 2017 Microsoft Corporation. All rights reserved. Microsoft, Windows, and other product names are or may be registered trademarks and/or trademarks in the U.S. and/or other countries. The information herein is for informational purposes only and represents the current view of Microsoft Corporation as of the date of this presentation. Because Microsoft must respond to changing market conditions, it should not be interpreted to be a commitment on the part of Microsoft, and Microsoft cannot guarantee the accuracy of any information provided after the date of this presentation. MICROSOFT MAKES NO WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, AS TO THE INFORMATION IN THIS PRESENTATION.